


2013



# Professional Shop Tools



## Complete Shop Tools Program



**Dead Blow and Sledge Hammers**



[SHOP](#)

**802 Dead Blow, Medium Hard Face Hammer, Recoiless, Polyurethane, Steel Tube Shaft. "GS" Sign, Cushion Grip.**

- Preserves sensitive surfaces and edges
- Increases striking power
- Avoids hand fatigue

**Application:**

- Machine tools and gear box construction
- Sheet metal shops and repair shops

Faces polyurethane, shatterproof, wear resistant, extremely durable  
Faces replaceable. Tubular handle, lacquered in blue, cushion grip.

Item No.	mm	Inch	mm	Inch	mm	Inch	oz.	pkg.
80225	25	1.0	106	4.2	288	11.3	18	1
80230	30	1.2	115	4.5	290	11.4	21	1
80235	35	1.4	118	4.6	300	11.8	24	1
80240	40	1.6	125	4.9	305	12.0	30	1
80245	45	1.8	130	5.1	310	12.2	37	1
80250	50	2.0	130	5.1	365	14.4	49	1
80260	60	2.3	156	6.1	375	14.7	72	1
80270	70	2.8	161	6.3	385	15.1	97	1



[SHOP](#)

**80290 3 Piece Dead Blow Hammer Set - Medium hard**

Item No.	mm	Inch	lbs.
80290	80230	30	6.35
	80240	40	
	80250	50	



**For 800 & 802 Hammers**

[SHOP](#)

**802 Replacement Hammer Faces - Medium hard**

Item No.	mm	Inch	lbs.	pkg.
80200	25	1.0	.04	1
80202	30	1.2	.04	1
80204	35	1.4	.05	1
80206	40	1.6	.08	1
80208	45	1.8	.12	1
80210	50	2.0	.16	1
80213	60	2.3	.29	1
80216	70	2.8	.39	1



[SHOP](#)

**800 Dead Blow, Medium Hard Face, Recoiless, Polyurethane Face, Hickory Handle. Application:**

- Tools, engineering gear box construction
- Sheet metal and repair shops, heavy industry

Steel head for incredible strength. Faces polyurethane, shatterproof, wear resistant, extremely durable. Faces replaceable. Hickory handle.

Item No.	mm	Inch	mm	Inch	mm	Inch	oz.	pkg.
80025	25	1.0	106	4.2	320	12.5	11	1
80030	30	1.2	113	4.4	350	13.7	16	1
80035	35	1.4	115	4.5	355	13.9	20	1
80040	40	1.6	123	4.8	375	14.7	26	1
80045	45	1.8	130	5.1	380	14.9	35	1
80050	50	2.0	134	5.3	385	15.1	44	1
80060	60	2.3	158	6.2	420	16.5	70	1
80070	70	2.8	158	6.2	430	16.9	91	1



[SHOP](#)

**800 Hickory Replacement Handles - For Dead Blow Hammers**

Item No.	Fits Hammer	mm	lbs.	pkg.
80071	80025	25mm	.11	1
80072	80030 & 80035	30/35mm	.19	1
80074	80040 & 80045	40/45mm	.29	1
80076	80050	50mm	.38	1
80078	80060 & 80070	60/70mm	.44	1
80079	80280	80mm	1.76	1
80081	80299	100mm	2.31	1



[SHOP](#)

**802 Dead Blow Sledge, Medium Hard Face, Recoiless, Polyurethane Face, Hickory Handle. Application:**

- Tools, engineering gear box construction
- Sheet metal and repair shops, heavy industry.

Faces polyurethane, shatterproof, wear resistant, extremely durable. Faces replaceable. Hickory handle.


Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
80280	80	3.1	205	8.0	882	34.6	10.0	1
80299	100	3.9	210	8.2	1002	39.3	15.1	1

**802 Replacement Hammer Faces - Medium hard.**

Item No.	mm	Inch	lbs.	pkg.
80219	80	3.1	.06	1
80222	100	3.9	.10	1



**Heavy Duty Split Head Mallets**



- Easy replacement with standard components
- Malleable cast iron heads
- Color coded faces
- D-21 to D-80 shore hardness
- Rugged hickory handles



[SHOP](#)

**832 Malleable Cast Iron Split Head Mallets With Hickory Handle**

- Safety ribbed housings for handle & faces
- 5 head diameters 1.2" to 3.1"
- 5 face shore hardness: D-21 to D-80
- Sturdy Hickory Handles

Faces polyurethane, shatterproof, wear resistant, extremely durable.  
Faces replaceable.

Item No.	mm	Inch	Faces	mm	Inch	lbs.	pkg.
83230	30	1.2	Hard/Soft	260	10.2	10.6oz	1
83240	40	1.5	Hard/Soft	280	11.0	1.4	1
83250	50	2.0	Hard/Soft	310	12.2	2.4	1
83260	60	2.4	Hard/Soft	340	13.3	3.7	1
83280	80	3.1	MedSoft/X-hard	400	15.8	6.5	1

**832 Malleable Cast Iron Split Head Sledge Hammer**

With Hickory Handle

Item No.	mm	Inch	Faces	mm	Inch	lbs.	pkg.
83289	80	3.1	MedSoft/X-hard	800	31.5	7.6	1



Soft Face

[SHOP](#)

**833 Replacement Square Hammer Faces**

Item No.	Soft	mm	Inch	lbs.	pkg.
83346	Soft - Blue	40	1.57	.10	1
83347	Medium Hard - yellow	40	1.57	.14	1



Latex Rubber



Nylon

[SHOP](#)

**832 Color Coded Faces For Heavy Duty Split Head Mallets -**

80mm Diameter (3.1") Mallet Faces

Item No.	mm	Inch	Type	Shore Hardness	Material	Color	lbs.	pkg.
83282	80	3.1	MedSoft	45-D	Latex Rubber	Black	.90	1
83285	80	3.1	X-Hard	80-D	Nylon	White	.88	1




[SHOP](#)

**832 Color Coded Faces For Heavy Duty Split Head Mallets -**

30mm Diameter (1.2") Mallet Faces

Item No.	mm	Inch	Type	Shore Hardness	Material	Color	lbs.	pkg.
83231	30	1.2	Soft	21-D	TPE	Blue	.15	1
83232	30	1.2	MedSoft	45-D	Latex Rubber	Black	.15	1
83233	30	1.2	MedHard	65-D	Polyurethane	Yellow	.15	1
83234	30	1.2	Hard	72-D	Cell Acetate	Orange	.15	1
83235	30	1.2	X-Hard	80-D	Nylon	White	.15	1



[SHOP](#)

**832 Color Coded Faces For Heavy Duty Split Head Mallets -**

40mm Diameter (1.5") Mallet Faces

Item No.	mm	Inch	Type	Shore Hardness	Material	Color	lbs.	pkg.
83241	40	1.5	Soft	21-D	TPE	Blue	.15	1
83242	40	1.5	MedSoft	45-D	Latex Rubber	Black	.15	1
83243	40	1.5	MedHard	65-D	Polyurethane	Yellow	.15	1
83244	40	1.5	Hard	72-D	Cell Acetate	Orange	.15	1
83245	40	1.5	X-Hard	80-D	Nylon	White	.15	1



[SHOP](#)

**832 Color Coded Faces For Heavy Duty Split Head Mallets -**

50mm Diameter (2.0") Mallet Faces

Item No.	mm	Inch	Type	Shore Hardness	Material	Color	lbs.	pkg.
83251	50	2.0	Soft	21-D	TPE	Blue	.26	1
83252	50	2.0	MedSoft	45-D	Latex Rubber	Black	.26	1
83253	50	2.0	MedHard	65-D	Polyurethane	Yellow	.26	1
83254	50	2.0	Hard	72-D	Cell Acetate	Orange	.26	1
83255	50	2.0	X-Hard	80-D	Nylon	White	.26	1



[SHOP](#)

**832 Color Coded Faces For Heavy Duty Split Head Mallets -**

60mm Diameter (2.4") Mallet Faces

Item No.	mm	Inch	Type	Shore Hardness	Material	Color	lbs.	pkg.
83261	60	2.4	Soft	21-D	TPE	Blue	.42	1
83262	60	2.4	MedSoft	45-D	Latex Rubber	Black	.42	1
83263	60	2.4	MedHard	65-D	Polyurethane	Yellow	.42	1
83264	60	2.4	Hard	72-D	Cell Acetate	Orange	.42	1
83265	60	2.4	X-Hard	80-D	Nylon	White	.42	1

[SHOP](#)

**Build A Mallet - Handle & Housing Assembly**



[SHOP](#)

**832 Malleable Cast Iron Split Head Housing With Hickory Handle**

- Safety ribbed housings for handle & faces
- Sturdy Hickory Handles

Item No.	↓●	↑●	↔	↔	↔	↔
No.	mm	Inch	mm	Inch	lbs.	pkg.
83221	30	1.2	260	10.2	.87	1
83222	40	1.5	280	11.0	1.5	1
83223	50	2.0	310	12.2	2.3	1
83224	60	2.4	340	13.3	3.2	1
83225	80	3.1	400	15.8	5.6	1
83226	80	3.1	800	31.5	7.2	1



[SHOP](#)

**832 Replacement Heavy Duty Mallet Housing**

For split head mallets made of malleable cast iron

Item No.	↓●	↑●	↔	↔
No.	mm	Inch	lbs.	pkg.
83238	30	1.2	.50	1
83248	40	1.6	1.0	1
83258	50	2.0	1.6	1
83268	60	2.4	2.7	1
83288	80	3.1	4.4	1




[SHOP](#)

**832 Hickory Replacement Handles -**

For split head replaceable face mallets

Item No.	Fits Housing	↔	↔	↔	↔
No.	Housing	mm	Inch	lbs.	pkg.
83273	83238 30mm	260	10.2	.18	1
83274	83248 40mm	280	11.0	.24	1
83275	83258 50mm	310	12.2	.39	1
83276	83268 60mm	340	13.3	.49	1
83277	83288 80mm	400	15.8	.68	1
83279	83288 80mm	800	31.5	1.3	1



[SHOP](#)

**83290 15 Piece Split Head Mallet Set - In 16" Tool Box**

Mallet Housing		W/Hickory Handle		Hex Assembly Keys	
↓●	↔	↓●	↔	↕	mm
83221	30mm	260		35309	5.0
83223	50mm	310		35312	8.0

Mallet Faces				Shore Hardness		↔
No.	mm	Color	Hardness	Shore	D	lbs.
83231	30mm	Blue	Soft	21-D		
83232	30mm	Black	Med Soft	45-D		8.7
83233	30mm	Yellow	Med Hard	65-D		
83234	30mm	Orange	Hard	72-D		
83235	30mm	White	Ex Hard	80-D		
83251	50mm	Blue	Soft	21-D		
83252	50mm	Black	Med Soft	45-D		
83253	50mm	Yellow	Med Hard	65-D		
83254	50mm	Orange	Hard	72-D		
83255	50mm	White	Ex Hard	80-D		



[SHOP](#)

**83295 10 Piece Safety Heavy Duty Split Head Mallet Set**

Mallet Housing & Handle		Hex Assembly L-key	
↓●	↔	↕	mm
83222	40mm	35260	6.0mm

Mallet Faces				Shore Hardness		↔
No.	mm	Color	Hardness	Shore	D	lbs.
83241	40mm	Blue	Soft	21-D		
83346	40mm	Blue	Soft Sq.	21-D		5.10
83243	40mm	Yellow	Med Hard	65-D		
83347	40mm	Yellow	M. Hard Sq.	65-D		
83244	40mm	Orange	Hard	72-D		
83245	40mm	White	Ex Hard	80-D		
83242	40mm	Black	Med Soft	45-D		
83242	40mm	Black	Med Soft	45-D		